



Tecnodom Blast chiller 20 X 1/1 GN pan capacity - DO20

Quick Overview

- ADVANCED DESIGN
- ALL STAINLESS STEEL
- Ambient Operation Temperature: 43Å ° C and 65% RH
- Blast Chilling Performance: +3Å°C
- Blast Freezing Performance: -18Å°C
- Digital controller with probe and temperature display
- Stainless Steel interior and exterior
- Internal rounded corners for easy cleaning
- Insulation in 60mm thickness CFC-free polyurethane
- Adjustable Stainless Steel feet
- Self-closing door with magnetic gasket
- 2250W/10A
- Process 70 kg from 90Å ° C to -18Å ° C in 180 mins
- Stainless steel interior and exterior, except the external base in galvanized steel
- Rounded internal corners
- Insulation thickness: 40 mm
- Self-closing door with hinges on the left and a magnetic gasket
- Chamber probe.
- Core probe.
- Universal stainless steel pan grids
- Space between grids 65mm
- Internal volume: 340L
- 750mmWÅ—740DÅ—2090/2120H

Description

Tecnodom Blast chiller 20 X 1/1 GN pan capacity - DO20

Key Features

- ADVANCED DESIGN

- ALL STAINLESS STEEL
- Ambient Operation Temperature: 43 ° C and 65% RH
- Blast Chilling Performance: +3°C
- Blast Freezing Performance: -18°C
- Standard blast freezing to - 18 ° C (food core temperature), with programmable deep-freeze capability down to - 40 ° C.
- Digital controller with probe and temperature display
- Stainless Steel interior and exterior
- Internal rounded corners for easy cleaning
- Insulation in 60mm thickness CFC-free polyurethane
- Adjustable Stainless Steel feet
- Self-closing door with magnetic gasket
- 2250W/10A
- Process 70 kg from 90 ° C to -18 ° C in 180 mins
- Stainless steel interior and exterior, except the external base in galvanised steel
- Rounded internal corners
- Insulation thickness: 40 mm
- Self-closing door with hinges on the left and a magnetic gasket
- Chamber probe.
- Core probe.
- Universal stainless steel pan grids
- Space between grids 65mm
- Internal volume: 340L
- 750mmW x 740D x 2090/2120H

2 Years Parts and Labour Warranty

Your Shipping Specifications

| | |
|---------------------|--------------------------|
| Product Condition | New |
| Doors | 1 |
| Door Type | Hinged Doors |
| Body | Stainless Steel |
| Width (mm) | 750 |
| Depth (mm) | 2090 |
| Height (mm) | 2120 |
| Packing Width (mm) | 770 |
| Packing Depth (mm) | 780 |
| Packing Height (mm) | 2190 |
| Power | 2250W/10A |
| Warranty | 2 Years Parts and Labour |