



CM25G TROPICALISED Four Door Bar Fridge

Quick Overview

- Gross Volume: 720L
- Net Volume: 523L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: 2 to 8 ° C
- 1030 bench height + 50 mm splashback
- 2 levels of shelving plus floor
- Stainless Steel shelves
- Secop compressor
- Dixell digital temp. controls & read-out
- Fan-forced evaporator cooling
- Internal corners are rounded for hygiene & easy cleaning
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Touch close doors
- Castors
- LED Lighting Inside
- Handy utensil drawer
- Gal metal back
- WITH CUTLERY DRAWER

Â

Description

TROPICALISED Four Door All Stainless Steel* Bar Fridge with 50 mm Splashback

Key Features

- Gross Volume: 720L

- Net Volume: 523L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: 2 to 8 ° C
- 1030 bench height + 50 mm splashback
- 2 levels of shelving plus floor
- Stainless Steel shelves
- Secop compressor
- Dixell digital temp. controls & read-out
- Fan-forced evaporator cooling
- Internal corners are rounded for hygiene & easy cleaning
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Touch close doors
- Castors
- LED Lighting Inside
- Handy utensil drawer
- Gal metal back
- WITH CUTLERY DRAWER

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	4
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	720L
Net Volume	523L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	2 to 8 ° C
Total Energy Consumption	4.716 kWh/24h
Net Weight (Kg)	180
Width (mm)	2505
Depth (mm)	600
Height (mm)	1080
Packing Width (mm)	630
Packing Depth (mm)	2550
Packing Height (mm)	1060
Power	240V; 360W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice