



## Thermaster Double Glass Door Black Stainless Steel Upright Freezer - SUFG1000B

### Quick Overview

- Gross Volume: 1000L
- Temperature Range: -22 to -18Â ° C
- Black stainless steel
- Aspera compressors & German
- Å&#x8B;BM-Pabst fans
- Dixell digital temp. controller & read-out
- 3 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- Dimensions (WxDxH mm):Â 1220x760x1980

### Description

Thermaster Double Glass Door Black Stainless Steel Upright Freezer - SUFG1000B

HEAVY DUTY lockable units with factory balanced system which improves temperature recovery times, cools the cabinet quicker, keeping food fresher for longer & lowering running costs.

### Key Features

- Gross Volume: 1000L
- Temperature Range: -22 to -18 ° C
- Black stainless steel
- Aspera compressors & German
- EBM-Pabst fans
- Dixell digital temp. controller & read-out
- 3 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- Dimensions (WxDxH mm): 1220x760x1980

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Colorbond
Gross Volume	1000L
Temperature Range	-22 to -18 ° C
Total Energy Consumption	23.74 kWh/24h
Lids	2
Form Factor	Display
Lid Material	Glass
Net Weight (Kg)	182
Width (mm)	1220
Depth (mm)	760
Height (mm)	1980
Packing Width (mm)	1290
Packing Depth (mm)	2030
Packing Height (mm)	840
Power	240V; 1238/10 W/A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice