



## FED-X 120L Bar Freezer Glass Door - XF200SG

### Quick Overview

- Gross Volume: 120L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -18 to -15 °C;
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with a fan for the fridge, Static Cooling for the freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

### Description

FED-X 120L Bar Freezer Glass Door - XF200SG

### Key Features

- Gross Volume: 120L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -18 to -15
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling

- Regular defrosting is necessary
- Static Cooling with a fan for the fridge, Static Cooling for the freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

|                          |                                                                                  |
|--------------------------|----------------------------------------------------------------------------------|
| Product Condition        | New                                                                              |
| Doors                    | 1                                                                                |
| Door Type                | Hinged Doors                                                                     |
| Body                     | Stainless Steel                                                                  |
| Gross Volume             | 120L                                                                             |
| Max Ambient Temperature  | 25°C, 60%RH                                                                      |
| Temperature Range        | -22 to -18 ° C                                                                   |
| Total Energy Consumption | 3.649 kWh/24h                                                                    |
| Lids                     | 1                                                                                |
| Form Factor              | Display                                                                          |
| Lid Material             | Glass                                                                            |
| Net Weight (Kg)          | 50                                                                               |
| Width (mm)               | 600                                                                              |
| Depth (mm)               | 585                                                                              |
| Height (mm)              | 850                                                                              |
| Packing Width (mm)       | 646                                                                              |
| Packing Depth (mm)       | 642                                                                              |
| Packing Height (mm)      | 990                                                                              |
| Power                    | 240V, 332W/10A                                                                   |
| Warranty                 | 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration |