



FED-X 130L S/S Bar Cooler Solid Door - XR200SS

Quick Overview

- Gross Volume: 130L
- Net Volume: 113L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -1 to +5°C
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with fan for fridge, Static Cooling for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

Â

Description

FED-X 130L S/S Bar Cooler Solid Door - XR200SS

Key Features

- Gross Volume: 130L
- Net Volume: 113L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -1 to +5
- 50mm high-density insulation, CFC & HCFC free

- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with fan for fridge, Static Cooling for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	130L
Net Volume	113L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	-2 to 8 ° C
Total Energy Consumption	0.6398 kWh/24h
Net Weight (Kg)	41
Width (mm)	600
Depth (mm)	585
Height (mm)	850
Packing Width (mm)	646
Packing Depth (mm)	642
Packing Height (mm)	990
Power	240V, 198W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration