



## GN3100BT TROPICALISED 3 Door Gastronorm Bench Freezer

### Quick Overview

- Gross Volume: 465L
- Net Volume: 312L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -18 to -22 ° C
- One Level Of Shelving Plus Floor
- German &#x8B;m-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required for Ventilation
- Castors
- The unit can be placed against the wall
- Tropicalised Gastronorm
- Gal Metal Back

Â

### Description

GN3100BT Tropicalised 3 Doors Gastronorm Bench Freezer

GN3100BT is an impressive three-door stainless steel workbench freezer that 's able to hold 280 litres with dimensions set at 1795x700x850mm.

This underbench freezer is made entirely of stainless steel with both the interior and exterior, powerful compressors for

functionality, efficient self-closing doors, and Italian digital controls.

These underbench freezers have ample interior storage space for stock/ingredients with a freezing interior for long-term preservation. The workbenches on top of the unit act as ideal tables for kitchen work – whether it 's for cutting, chopping, or mixing ingredients, prepping meals and sides, or general cleaning.

NOTE: Some units have an additional splashback option.

Stainless steel drawers and door runners are also available with this unit.

### Key Features

- Gross Volume: 465L
- Net Volume: 312L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -18 to -22 ° C
- One Level Of Shelving Plus Floor
- German Ębm-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required for Ventilation
- Castors
- The unit can be placed against the wall
- Tropicalised Gastronorm
- Gal Metal Back

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	465L
Net Volume	312L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	-18 to -22 ° C
Total Energy Consumption	9.2 kWh/24h
Lids	3
Form Factor	Workbench
Lid Material	Solid
Net Weight (Kg)	134
Width (mm)	1795
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	730
Packing Depth (mm)	1830
Packing Height (mm)	920
Power	240V; 570W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice