



## GN4100TNG - 4 Glass Door Gastronorm Bench Fridge

### Quick Overview

- Gross Volume: 616L
- Net Volume: 476L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -2 to 8 ° C
- One Level Of Shelving Plus Floor
- German Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required for Ventilation
- Castors
- The unit can be placed against the wall
- LED Lighting Inside
- Stainless Steel Interior & Exterior
- Gastronorm
- Matches GN Series Bench Freezers
- Gal Metal Back

### Description

4 Glass Door Gastronorm Bench Fridge - GN4100TNG

### Key Features

- Gross Volume: 616L
- Net Volume: 476L

- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -2 to 8 ° C
- One Level Of Shelving Plus Floor
- German EBM-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self-Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required for Ventilation
- Castors
- The unit can be placed against the wall
- LED Lighting Inside
- Stainless Steel Interior & Exterior
- Gastronorm
- Matches GN Series Bench Freezers
- Gal Metal Back

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Product Condition	New
Doors	4
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	616L
Net Volume	476L
Max Ambient Temperature	30°C, 55%RH
Temperature Range	-2 to 8 ° C
Total Energy Consumption	5.22 kWh/24h
Net Weight (Kg)	153
Width (mm)	2230
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	2260
Packing Depth (mm)	730
Packing Height (mm)	910
Power	240V; 300W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice