



Bonvue Chilled Counter-Top Food Display - HTR160N

Quick Overview

- Gross Volume: 146L
- Net Volume: 101L
- Max Ambient Temperature: 32°C
- Temperature Range: 3 to 8°C
- Sliding Rear Doors
- CFC-free refrigerant and foam
- A ventilated refrigeration compartment gives better air circulation
- Auto defrosting
- Electronic thermostat and digital LED temperature display for accurate control and easy reading
- Curved glass food display
- Fan-forced airflow
- LED lamp
- HC refrigerant
- 2 adjustable Shelving
- Refrigeration Unit Is Fully Self-Contained In The Base (No Well Cut-Out Is Required)
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 + One 820 x 408 mm
- Front glass: Tempered double-glazed glass

Description

Bonvue Chilled Counter-Top Food Display - HTR160N

The formidable chilled display from renowned commercial refrigeration brand Bonvue contains immense power, with dimensions set at 873x580x670mm.

One of Bonvue 's standardised benchtop displays, this piece works wonders in keeping your meals and ingredients chilled and made ready for serving.

This refined benchtop display unit is a great fit for any café, bakery, or butcher seeking ideal presentation and cold storage for their light meals, cold meats, sandwiches, wraps, and desserts.

Three Levels Of Display In A Stainless Steel And Glass Cabinet

- Gross Volume: 146L
- Net Volume: 101L
- Max Ambient Temperature: 32
- Temperature Range: 3 to 8 ° C
- Sliding Rear Doors
- CFC-free refrigerant and foam
- A ventilated refrigeration compartment gives better air circulation
- Auto defrosting
- Electronic thermostat and digital LED temperature display for accurate control and easy reading
- Curved glass food display
- Fan-forced airflow
- LED lamp
- HC refrigerant
- 2 adjustable Shelving
- Refrigeration Unit Is Fully Self-Contained In The Base (No Well Cut-Out Is Required)
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 + One 820 x 408 mm
- Front glass: Tempered double-glazed glass

1 Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	146L
Net Volume	101L
Max Ambient Temperature	32
Temperature Range	3 to 8 ° C
Total Energy Consumption	4.592(kWh/24h)
Net Weight (Kg)	71
Width (mm)	873
Depth (mm)	575
Height (mm)	676
Packing Width (mm)	931
Packing Depth (mm)	624
Packing Height (mm)	710
Power	240V; 160W / 10A
Warranty	1 Year Parts and Labour