



Thermaster Under Bench Three Door Bar Cooler - LG-330HC

Quick Overview

- Gross Volume: 293L
- Net Volume: 220L
- Max Ambient Temperature: 38°C; 65%RH
- Temperature Range: 2 to 8°C
- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Double Glazed Doors
- Self-Closing Doors
- Door Locks
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- Professional Bar Coolers
- The Largest Range In Australasia
- Suitable For Under-Bench Use
- 100 mm Wall Clearance Required for Ventilation

Description

Thermaster Under-Bench Three-Door Bar Cooler - LG-330HC

This exclusive under-bench bar cooler is fitted with two levels of strong industrial shelving, digital temp control, door locks, compressors, lighting, and a three-unit (330 ltr) capacity, an excessively open space for all your cool storage needs.

This bar cooler features digital temperature controls, Zanussi compressors for optimal function, door locks, double glazed doors for protection that can self-lock, interior lights, auto defrost, and strong industrial shelving and make.

Check out Thermaster 's other bar coolers and fridges to select the best size and product for your business.

Key Features

- Gross Volume: 293L
- Net Volume: 220L
- Max Ambient Temperature: 38 °C 65%RH
- Temperature Range: 2 to 8 ° C
- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Double Glazed Doors
- Self-Closing Doors
- Door Locks
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- Professional Bar Coolers
- The Largest Range In Australasia
- Suitable For Under-Bench Use
- 100 mm Wall Clearance Required for Ventilation

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Colorbond
Gross Volume	293L
Net Volume	220L
Max Ambient Temperature	38 65%RH
Temperature Range	2 to 8 ° C
Total Energy Consumption	2.183 kWh/24h
Net Weight (Kg)	92
Width (mm)	1350
Depth (mm)	530
Height (mm)	835
Packing Width (mm)	1400
Packing Depth (mm)	570
Packing Height (mm)	920
Power	240V; 315W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice