



Thermaster two door Sandwich Bar - SLB120

Quick Overview

- 6 × 1/3 " pans**
- Stainless Steel interior & exterior*
- Gross Volume: 270L
- Temperature Range: 2 to 5 ° C
- Cross-flow pan cooling
- "blown well"
- The fridge has one level of shelving plus a floor
- Pan lid
- Secop compressors
- German Æ‹BM-Pabst fans
- Digital temp. control & read-out
- Rounded internal corners for hygiene & easy cleaning
- Working area 300 mm deep
- PE cutting board included
- Bench height 880 mm
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors
- Gal metal back

Description

Thermaster two-door Sandwich Bar - SLB120

Key Features

- 6 × 1/3 " pans**
- Stainless Steel interior & exterior*
- Gross Volume: 270L
- Temperature Range: 2 to 5 ° C
- Cross-flow pan cooling
- "blown well"

- The fridge has one level of shelving plus a floor
- Pan lid
- Secop compressors
- German EBM-Pabst fans
- Digital temp. control & read-out
- Rounded internal corners for hygiene & easy cleaning
- Working area 300 mm deep
- PE cutting board included
- Bench height 880 mm
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors
- Gal metal back

** pans not included

** The pan lid must be used to ensure the correct operating temperature. Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

| | |
|---------------------|---|
| Product Condition | New |
| Doors | 2 |
| Door Type | Hinged Doors |
| Body | Stainless Steel |
| Gross Volume | 270L |
| Temperature Range | 2 to 5 ° C |
| Net Weight (Kg) | 109 |
| Width (mm) | 1200 |
| Depth (mm) | 750 |
| Height (mm) | 1090 |
| Packing Width (mm) | 870 |
| Packing Depth (mm) | 1320 |
| Packing Height (mm) | 1250 |
| Power | 240V; 300W |
| Warranty | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |