



Thermaster three door Sandwich Bar - SLB150

Quick Overview

- Gross Volume: 340L
- Temperature Range: 2 to 8 ° C
- cross-flow pan cooling
- "blown well"
- The fridge has one level of shelving plus a floor
- pan lid
- Secop compressors
- German Æ‹BM-Pabst fans
- digital temp. control & read-out
- fan-forced evaporator cooling
- rounded internal corners for hygiene & easy cleaning
- PE cutting board included
- working area 300 mm deep
- auto defrost
- Self-evaporating drainage
- Castors

Description

Thermaster three-door Sandwich Bar - SLB150

Key Features

- Gross Volume: 340L
- Temperature Range: 2 to 8 ° C
- cross-flow pan cooling
- "blown well"
- The fridge has one level of shelving plus a floor
- pan lid
- Secop compressors
- German ÆBM-Pabst fans
- digital temp. control & read-out
- fan-forced evaporator cooling

- rounded internal corners for hygiene & easy cleaning
- PE cutting board included
- working area 300 mm deep
- auto defrost
- Self-evaporating drainage
- castors

7 × 1/3 × 150 mm deep GN pans*
Stainless Steel interior & exterior*

* gal metal back

** pans not included

*** The pan lid must be used to ensure the correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	340L
Temperature Range	2 to 8 ° C
Net Weight (Kg)	128
Width (mm)	1500
Depth (mm)	750
Height (mm)	1090
Packing Width (mm)	870
Packing Depth (mm)	1620
Packing Height (mm)	1250
Power	240V; 390W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice