



## Thermaster Single Door Upright Display Fridge - SUCG500

### Quick Overview

- Gross Volume: 500L
- Temperature Range: 2 to 5 ° C
- Stainless Steel Exterior & Interior\*
- Single door
- LED Lighting
- Aspera compressors & German ÆBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- \*gal metal back

### Description

Thermaster Single Door Upright Display Fridge - SUCG500

### Key Features

- Gross Volume: 500L
- Temperature Range: 2 to 5 ° C
- Stainless Steel Exterior & Interior\*
- Single door
- LED Lighting
- Aspera compressors & German ÆBM-Pabst fans
- Dixell digital temp. controller & read-out

- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Double-glazed doors
- Castors
- \*gal metal back

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	500L
Temperature Range	2 to 5 ° C
Total Energy Consumption	4.34 kWh/24h
Net Weight (Kg)	106
Width (mm)	620
Depth (mm)	760
Height (mm)	1980
Packing Width (mm)	840
Packing Depth (mm)	690
Packing Height (mm)	2030
Power	240V, 508W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice