



Thermaster Three Door Upright Display Freezer - SUFG1500



Quick Overview

- Gross Volume: 1500L
- Temperature Range: -22 to -18 ° C
- Stainless Steel Exterior & Interior*
- Three-door
- LED Lighting
- Embraco compressors & German BM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Aluminum door frame
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Triple-glazed doors
- Castors
- 15 15-amp outlet required
- gal metal back

Â

Description

Thermaster Three Door Upright Display Freezer - SUFG1500

Key Features

- Gross Volume: 1500L
- Temperature Range: -22 to -18 ° C
- Stainless Steel Exterior & Interior*
- Three-door
- LED Lighting
- Embraco compressors & German EBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Extremely efficient self-closing doors with locks
- Aluminum door frame
- Internal corners are rounded for hygiene & easy cleaning
- Lighting inside
- Triple-glazed doors
- Castors
- 15 15-amp outlet required
- gal metal back

2 Years Parts and Labour + 2 Years Parts Only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	1500L
Temperature Range	-22 to -18 ° C
Total Energy Consumption	34.29 kWh/24h
Lids	3
Form Factor	Display
Lid Material	Glass
Net Weight (Kg)	267
Width (mm)	1835
Depth (mm)	760
Height (mm)	1980
Packing Width (mm)	810
Packing Depth (mm)	1880
Packing Height (mm)	2040
Power	240V, 1705W, 15Amp outlet required
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice