



Thermaster Three sliding door bar cooler - SC316SD

Quick Overview

Rebate available via NSW ESS program

- Two levels of shelving plus floor
- Digital temp. control & read-out
- Zanussi compressors
- 2 to 8 ° C
- Ambient 32°C & 75% RH
- Double glazed doors
- Lockable doors
- Self-closing doors
- Auto-defrost
- Strong industrial shelving
- Fully adjustable shelves
- Light inside
- On castors for easy moving & cleaning

Description

Three sliding door bar cooler - SC316SD
Commercial Use Professional Bar Coolers - The Largest Range in Australasia

Refrigerated: 2 to 8 ° C

- Gross Volume: 320L
- Net Volume: 222L
- Max Ambient Temperature: 32
- Temperature Range: 2 to 8 ° C
- Two levels of shelving plus floor
- Digital temp. control & read-out
- Zanussi compressors
- 2 to 8 ° C
- Ambient 32°C & 75% RH
- Double glazed doors
- Lockable doors
- Self-closing doors
- Auto-defrost
- Strong industrial shelving
- Fully adjustable shelves

- Light inside
- On castors for easy moving & cleaning

Dimensions: 1350mmW x 535D x 900H

*Allow 100mm clearance for installation, all vents must be left clear

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

| | |
|--------------------------|---|
| Product Condition | New |
| Doors | 3 |
| Door Type | Sliding Doors |
| Body | Colorbond |
| Gross Volume | 320L |
| Net Volume | 222L |
| Max Ambient Temperature | 32 |
| Temperature Range | 2 to 8 ° C |
| Total Energy Consumption | 3.168(kWh/24h) |
| Net Weight (Kg) | 92 |
| Width (mm) | 1350 |
| Depth (mm) | 535 |
| Height (mm) | 900 |
| Packing Width (mm) | 600 |
| Packing Depth (mm) | 1400 |
| Packing Height (mm) | 1040 |
| Power | 240V; 140W/10A outlet required |
| Warranty | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |